

TEST CERTIFICATE

Sr. No.	Characteristic	Unit	Specification	Observed Value
1	Appearance		White Crystalline	White Crystalline
2	Black Particles 1Kg By Physical Test (Dry)	No's	10 Max	06
3	Bulk Density	Gms/Ce	1.0-1.20	1.233
4	Dynamic Flow Rate	ml/Sec	N/A	N/A
5	Whiteness Index (Laser Phot)	%	90.0 Min	90.7
6	Moisture	%	0.30 Max	0.146
7	Calcium as Ca	%	0.20 Max	0.15
8	Magnesium as	%	0.10 Max	0.058
9	Sulphur as SO ₄	%	0.40 Max	0.312
10	Iodine as I ₂	PPM	As Required	Nil
11	Iron	PPM	10 Max	<10
12	PFC	PPM	10 Max	<10
13	Water Insoluble	%	0.3 Max	0.096
14	Send	%	0.02 Max	0.014
15	Silica Contents	%	-	-
16	Matter Soluble in Water other than Nacl	%	1.50 Max	1.123
17	Nacl	%	97.0 Min	98.78
18	Hardness (80 GPL)	PPM	-	-
19	pH - 10% Solution	PH	5.0-8.5	7.20
20	Particle Size	%	-	-
	Through of 850#	%	<35 %	34
	Through of 850# -150#	%	>60%	60
	Through of 150#	%	<5%	1.0